Herculaneum Lead Monitoring Results (October-December 2004)

| October 2004 | Dunklin H.S. #1 | Dunklin H.S. #2 | Bluff | Main Street | Broad Street | Thurwell Street #1 |
|--------------------|-----------------------|-----------------------|-------|----------------|-----------------|--------------------------|
| 1 | | | | 1.606 | 1.295 | |
| 2 | | | | .395 | .373 | |
| 3 | .173 | .184 | .659 | .858 | .608 | .117 |
| 4 | | | | .040 | .049 | |
| 5 | | | | .126 | .668 | |
| 6 | .402 | .392 | .163 | 2.506 | 5.835 | .773 |
| 7 | | | | 8.083 | 4.216 | |
| 8 | | | | .168 | .137 | |
| 9 | .087 | .114 | .084 | .164 | .838 | .041 |
| 10 | | | | .266 | 4.098 | |
| 11 | | | | .372 | 5.673 | |
| 12 | 0 | 0 | 0 | 0 | .169 | 0 |
| 13 | | | | 0 | .042 | |
| 14 | | | | 0 | 0 | |
| 15 | 0 | 0 | .034 | 0 | .057 | 0 |
| 16 | | | | 0 | .042 | |
| 17 | | | | 6.923 | 10.543 | |
| 18 | .136 | .183 | .038 | 2.665 | 4.195 | .807 |
| 19 | | | | 0 | .071 | |
| 20 | | | | .053 | .067 | |
| 21 | .161 | .150 | 0 | 5.049 | 3.571 | .743 |
| 22 | | | | 4.545 | 1.717 | |
| 23 | | | | .578 | .159 | |
| 24 | .133 | .133 | .104 | 1.120 | 2.555 | .346 |
| 25 | | | | 5.005 | 2.779 | |
| 26 | | | | 2.759 | 2.118 | |
| 27 | .041 | .041 | 0 | .223 | NS | .032 |
| 28 | | | | 2.043 | 1.633 | |
| 29 | | | | .188 | .080 | |
| 30 | 0 | 0 | .057 | .031 | .035 | 0 |
| 31 | | | | .954 | .613 | |
| October Average | .113 | .120 | .114 | 1.507 | 1.808 | .286 |



| November 2004 | Dunklin H.S. | Dunklin H.S. | Bluff | Main Street | Broad Street | Thurwell Street |
|---------------------|-----------------|-----------------|-------|----------------|-----------------|--------------------|
| | #1 | #2 | | | 455 | #1 |
| 1 | • | • | • | .746 | .125 | |
| 2 | 0 | 0 | 0 | .057 | 0 | 0 |
| 3 | | | | .134 | .972 | |
| 4 | | | | 0 | 0 | • |
| 5 6 7 8 | NS | NS | NS | 0 | 0 | 0 |
| 6 | | | | .053 | .052 | |
| 7 | • | | | 0 | 0 | |
| 8 | NS | NS | NS | .069 | .678 | .032 |
| | | | • | 1.243 | .946 | |
| 10 | | • | | 3.51 | .743 | • |
| 11 | .056 | .073 | .058 | .975 | .162 | .203 |
| 12 | | | | 0 | .048 | |
| 13 | | | | .095 | .658 | |
| 14 | 0 | 0 | 0 | 4.391 | 5.059 | .424 |
| 15 | | | | 6.456 | 4.012 | |
| 16 | | | | 5.021 | 1.563 | |
| 17 | .294 | .322 | .145 | 1.917 | 1.699 | .690 |
| 18 | | | | 6.756 | NS | |
| 19 | | | | .586 | .159 | |
| 20 | 0 | 0 | .067 | .039 | 0 | 0 |
| 21 | | | | .361 | 2.842 | - |
| 22 | | | | 6.994 | 2.865 | |
| 23 | .693 | .587 | .053 | 1.719 | 8.056 | .154 |
| 24 | | | | .057 | .101 | |
| 25 | | | | .116 | .04 | |
| 26 | .829 | .835 | 1.189 | 1.2 | 1.212 | .113 |
| 27 | • | | | .282 | .14 | .115 |
| 28 | | | | 7.443 | 2.29 | |
| 29 | .03 | 0 | 0 | 6.622 | 2.76 | .781 |
| 30 | | | • | 0.045 | 0 | .,01 |
| November Average | .238 | .227 | .189 | 1.896 | 1.282 | .240 |

| | | | | - | · | | • |
|---|-------------------------|-----------|---------|-------------|------------|--------|----------|
| | | • | | • | | • | |
| | | | | | | | |
| | December | Dunklin (| Dunklin | Bluff | Main | Broad | Thurwell |
| | 2004 | H.S. | H.S. | | Street | Street | Street |
| | | #1 | #2 | | | | #1 |
| | 1 | | | | 0.07 | 0.206 | - |
| | 2 | 0 | 0 | 0.054 | O . | 0.028 | 0 |
| | 3 | | | | 0.375 | 0.074 | - |
| | 4 | | | | 0.071 | 0.067 | |
| | 5 | 0.254 | 0.251 | 0.306 | 2.044 | 0.606 | 0.41 |
| | 6 | | | | 1.546 | 1.016 | V. 12 |
| | 7 | | | | 0.384 | 0.089 | |
| | . 8 | 0.399 | 0.381 | 0.114 | 3.76 | 1.781 | 0.829 |
| | 9 | 0.552 | | V.1 | 1.725 | 0.556 | 0.027 |
| | 10 | | | | 0 | 0.550 | |
| • | 11 | 0.084 | 0.127 | 0.077 | 0 | 0 | . 0 |
| | 12 | 0.00-1 | 0.127 | 0.077 | 0.036 | 0 | . 0 |
| | 13 | | | | 0.030 | 0 . | |
| | 14 | 0 | 0 | 0.063 | 0 | 0 | ^ |
| | 15 | U | U | 0.005 | | | 0. |
| | 16 | | | | 0.397 | 0.637 | • |
| | | 0.207 | 0.006 | 0.00 | 0.047 | 0.132 | 0.410 |
| • | 17 | 0.297 | 0.296 | 0.22 | 2.743 | 1.362 | 0.418 |
| | 18 | | · | | 0 | 0 | • |
| | 19 | 2 2 4 2 | | | 0.42 | 0.665 | |
| | 20 | 2.213 | 1.875 | 2.425 | 2.308 | 1.862 | NS |
| | 21 | | | | 0.03 | 0 | |
| | 22 | | | | 0 | 0.033 | * |
| | 23 | 0 | 0 | 0.052 | 0.029 | 0 | NS |
| | 24 | | | | 2.708 | 1.74 | |
| | 25 | | | | 2.072 | 2.755 | • |
| • | 26 | 0.068 | 0.075 | 0.117 | 0.134 | 1.026 | 1.17 |
| | 27 | • | | | 4.799 | 3.834 | |
| | 28 | | | | 1.165 | 0.858 | |
| | 29 | 0.302 | 0.277 | 0.332 | 2.717 | 2.005 | 0.118 |
| | 30 | | | <u>-</u> | 1.991 | NS | |
| | 31 | | | | 0.525 | 0.517 | |
| | December | 0.359 | 0.328 | 0.376 | 1.032 | 0.728 | 0.368 |
| | Average | | | | | | |
| | 4 th Quarter | 0.238 | 0.225 | .229 | 1.475 | 1.264 | 0.293 |
| | Average | | | | | | |

* National Ambient Air Quality Standards (NAAQS)

- 1. Lead (Pb) Standard- 1.5 micrograms per cubic meter (μg/m³) based on a quarterly (3-month) averaging time with a minimum of 15 samples taken. Samples are collected for a 24-hour period every sixth day. Note- the department conducts Lead monitoring at the Herculaneum sites on a more frequent interval (i.e. daily at the Broad Street and Main Street (city hall) monitors).
- 2. Sulfur Dioxide (SO₂)- 0.14 parts per million (ppm) for a 24-hour averaging time, 0.03 ppm for a 1 year averaging time
- 3. Rolling three-month average Lead (Pb) values are for informational purposes only. The lead standard is not set up on rolling three month averages, a set quarter system must be used as per the NAAQs monitoring methods. (i.e. January-March, April-June, July-September and October-December) Refer to the Quarterly Averages for the values used to determine compliance with the NAAQS limits.
- 4. Sulfur Dioxide (SO₂) monitoring results are down loaded quarterly. Validation of the sample results is conducted after a full quarter of data has been collected.